



Registered address: 654007, Novokuznetsk, pr. Kuznetskstroevsky, 23, office 3.
Postal address: 236008, Kaliningrad, PO box 1626
INN (Taxpayer Identification Number) 4238000413
KPP (Tax Registration Reason Code) 421701001
OGRN (Primary State Registration Number) 1054238007273
Settlement Account 40702810000000000881 with BSTBANK JSC, Novokuznetsk
BIC 043209706, Correspondent Account 30101810000000000706
Telephone: +7-909-518-4444 Email: company@agbis.ru Website: www.agbis.ru

COMMERCIAL QUOTATION for Cleanomat

Brief descriptions of the items are behind the tables.

CLEANOMAT

CLEANOMAT TYPE	PRICE P
height 220	
Control cabinet with touch screen interface	2 060 €
Loading cabinet	770 €
Dispensing cabinet-2 cells	530 €
Dispensing cabinet-4 cells	590 €
Dispensing cabinet-5 cells	650 €
height 200	
Control cabinet with touch screen interface	1 890 €
Dispensing cabinet-4 cells	590 €
Each additional cell	25 €
height 108	
Dispensing cabinet - low (3 boxes)	300 €
Each additional cell	25 €

TYPES OF CABINETS

Any automatic receiving station always requires a Control Cabinet (CC). Any number of Loading and Dispensing Cabinets (any configuration) can be connected to it, depending on the expected assortment and order quantity forecast.


The cabinet types can be found on pages 3-5 of this quotation.

BAGS AND SEALS FOR PACKAGING

The main purpose of the bags is to ensure that the items received from the customer are delivered to the dry cleaner only in the composition and condition in which the customer placed the items in the bag. The seals are used to block access to the items until the bag is unpacked in the dry cleaning shop and to control the integrity of the order. In the table the price of bags and seals is given without delivery. Bags and seals are delivered without the dry cleaning logo.


Series APP3-07, height 2003 mm

Control cabinet - contains touch screen monitor, bag dispenser, main electronics, data router. It is possible to install a battery for backup power supply in case of power failure. The width of the cabinet is 0.3 m. The area of the cabinet on the base is 0.18 m².








Loading Cabinet - this cabinet contains a dirty laundry bag storage area and a dispenser compartment (WxWxH 560x550x580 mm) located above the loading hatch. This cabinet can be converted to accommodate a 21.5" information screen.

The screen is used to display advertising and other information. The width of the case is 0.6m. The area of the cabinet on the base is 0,36 m². This area can hold about 10-12 bags depending on their filling. It is possible to install several loading cabinets as a part of one cleaner.




Series APP3-07, height 2003 mm

Dispensing cabinets - cabinets with boxes for dispensing orders. The width of the cabinets is 0.5 m. The area of the cabinet on the floor is 0.3 m². Dispensing cabinets also differ in the number and size of cell.



Series APP3-07, height 2003 mm

Dispensing cabinets low - cabinets with cells for dispensing orders. The width of the cabinets is 0.5 m. The area of the cabinet on the floor is 0.09 m². Dispensing cabinets differ in number and size of cells.



Example of a cleanomat with one control cabinet and three dispensing cabinets. Any configuration is possible, depending on your needs, room size, and use of the receiving and dispensing areas.

